### 1. Identification

Product Identifier	Cobra Clean	
Other means of identification		
Product code	BEC-6009	
Recommended use	Heavy duty degreaser.	
<b>Recommended restrictions</b>	Professional use only.	
Manufacturer information		
Company name	Better Emissions Company LL	.C
Address	1373 County Road 128	
	Floresville, TX 78114	
Telephone	(210) 842-0703	
Emergency phone number	PERS	(800) 633-8253
	24-hour Emergency	(800) 633-8253

### 2. Hazard(s) Identification

Physical hazards Health hazards Environmental hazards OSHA defined hazards Label elements	Not classified. Serious eye damage Skin irritant Not classified. Not listed.	Category 1 Category 2
Signal word	DANGER	
Hazard statement	Causes serious eye damage. Causes skin irritation.	
Precautionary statement		
Prevention	Wear eye protection/face p handling. Wear protective g	otection. Wash hands and exposed skin thoroughly after over a second state over the second second second second
Response	present and easy to do. Con CENTER/doctor/medical pro 15 minutes. Specific treatme	with water for several minutes. Remove contact lenses, if tinue rinsing. Immediately call a POISON fessional. IF ON SKIN: Wash with plenty of water for at least ent (see section 4 on the Safety Data Sheet). If skin irritation attention. Take off contaminated clothing and wash it
Storage	No prescriptive instruction	
Disposal	No prescriptive instruction	
Hazard(s) not otherwise classified (HNOC)	None.	
Supplemental information	None.	

### 3. Composition/information on ingredients

	Mixture Component(s)	
Chemical name	CAS number	%
2-butoxyethanol	111-76-2	1-5

Other components below reportable levels		95-99
4. First-aid measures		
Inhalation	Move to fresh air. Call a physician if symptoms dev	elop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.	
Eye contact	Rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention. Eye wash stations should be in work area.	
Ingestion	Rinse mouth. Get medical attention if symptoms of	ccur. Do not induce vomiting.
Most important symptoms/effects, acute and delayed	Dermatitis. Rash. May cause an allergic skin reactio	on.
Indication of immediate medical attention and special treatment needed	Provide widespread support measures and treat sy observation. Symptoms may be delayed.	mptomatically. Keep victim under
General information	Ensure that medical personnel are aware of the ma to protect themselves. Wash contaminated clothin	

## 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ). None known.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures	Wear appropriate protective equipment and clothing during clean-up. Wear eye/face protection.
Methods and materials for containment and cleaning	Caution – spillages may be slippery.
up	Large spills: Stop the flow of material if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements, or confined areas.
	Small spills: Wipe up with absorbent material (e.g., cloth, absorbent wipes). Clean surface thoroughly with water to remove residual contamination.
	Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Do not release into the open environment (see section 12). Avoid discharge into surface drainage paths and other areas not consistent with package labeling.

## 7. Handling and storage

Precautions for safe handling	Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Do not store in extreme conditions.

### 8. Exposure controls/personal protection

Occupational exposure lim US OSHA Table Z-1 Limit		nts (29 CEP 1910 1000)		
Components			Value	
2-butoxyethanol	PEL		50 ppm	
US ACGIH Threshold Lim	it Values			
Components	Туре	9	Value	
2-butoxyethanol	STEL		20 ppm	
Biological limit values				
ACGIH Biological Exposu	re Indices			
Components	Value	Determinant	Species	Sampling Time
2-butoxyethanol	200 mg/g	Creatinine	Urine	End of shift.
Appropriate engineering controls	Emergency ey mechanical ve		ers should be readily a	accessible. Provide natural or
Individual protection meas	ures, such as perso	nal protective equipment		
Eye/face protection	Avoid contact	with eyes. Wear safety gla	asses with side shields	s (or goggles).
Skin protection				
Hand protection	contact. Users of their produc necessary to p aprons, arm co	The use of gloves impervious to the specific material managed is advised to prevent skin contact. Users should check with manufacturers to confirm the breakthrough performance of their products. Depending on exposure and use conditions, additional protection may be necessary to prevent skin contact including use of items such as chemical-resistant boots, aprons, arm covers, hoods, coveralls, or encapsulated suits. Suggested protective materials: Nitrile and PVC rubber.		
Other	None.			
Respiratory protection	Respiratory pr	otection not required for	prescribed use of this	product.
Thermal hazards	Wear appropr	iate thermal protective clo	othing, when necessar	ſy.
General hygiene considerations	measures, suc smoking. Rout	h as washing after managi inely wash work clothing a	ing the material and b and protective equipn	serve good personal hygiene efore eating, drinking, and/or nent to remove wed out of the workplace.

#### 9. Physical and chemical properties

Appearance	
Physical State	Liquid
Color	Colorless.
Odor	Not available
Odor threshold	Not available
рН	12-13

Melting/freezing point Initial boiling point and boiling range	Not available. >212°F (100°C)
Flash point	>212°F (100°C)
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity (water=1)	1.01
Solubility in water	Soluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

## 10. Stability and reactivity

Reactivity	This product is stable and non-reactive under normal conditions of use.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames can cause product to decompose.
Incompatible materials	Strong acids, strong bases, strong oxidizing agents.
Hazardous decomposition products	Aldehydes, ketones, organic acids, carbon dioxide, carbon monoxide.

### 11. Toxicological information

Information on routes of exposure	
Ingestion	Corrosive to mucous membranes, will damage tissue if there is prolonged contact.
Inhalation	Expected to be a low inhalation hazard.
Skin contact	Repeated and/or prolonged skin contact may cause irritation and/or burns.
Eye contact	Causes severe eye damage. May cause severe corneal injury.
Symptoms related to the physical, chemical, and toxicological characteristics	Dermatitis. Rash. May cause an allergic skin reaction.
Acute toxicity	Expected to have a low toxicity.

Product Cobra Clean (CAS mixture)		
Exposure Classification	Route and Species	LD <sub>50</sub> /LC <sub>50</sub>
Acute	Oral, rat	>5,000 mg/kg (estimated)
Acute	Dermal, rabbit	>7,000 mg/kg Literature)
* Estimates for product may be based on additional component data not shown		

#### Skin corrosion/irritation Serious eye damage/ irritation

Causes skin irritation. Causes serious eye damage.

Respiratory sensitization	Not classified.	
Skin sensitization	Not classified.	
Germ cell mutagenicity	Not classified.	
Carcinogenicity	Not considered a carcinogen.	
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not Listed.		
Reproductive toxicity	Not classified.	
Specific target organ toxicity – single exposure	Not classified.	
Specific target organ toxicity – repeated exposure	Not classified.	
Aspiration hazard	Not considered an aspiration hazard.	

#### 12. Ecological information

Ecotoxicity			
Product Heavy Duty Green (CAS mixture)			
Aquatic Receptor	Species	Test Thresholds	
Crustacea	Daphnia magna (water flea)	EC <sub>50</sub> (48-hr): 500 mg/L (estimated)	
Fish	Fathead minnow -Pimephales promelas	LC <sub>50</sub> (96-hr): 2,700 mg/L (estimated)	
* Estimates for product may be based on additional component data not shown			
Specific toxicity threshold cannot be derived as the potential effects are highly dependent upon the pH of the receiving water and its buffer capacity highly variable.			

Persistence and degradability	Not available. Chemicals of this class are not expected to be persistent in an open, aerobic environment
Bio-accumulative potential	No data available.
Mobility in soil	Not available. Chemicals of these classes are highly water soluble and are expected to exhibit moderate to high mobility in saturated and semi-saturated soils
Other adverse effects	Not available.

#### **13.** Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Do not release to the environment.
Local disposal regulations	Dispose in accordance with all applicable regulations. As packaged, this product is not believed to meet criteria defining RCRA hazardous wastes when disposed. (40 CFR Part 261, Subpart C). Before selecting disposal method, ensure that the waste materials have been accurately assessed and, as necessary, evaluated to confirm regulatory status.
Waste from residues/unused product	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (See: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

#### 14. Transport information

**USDOT** Not regulated as dangerous goods

## 15. Regulatory information

US federal regulations SARA 302 Extremely hazardous substance SARA 304 Emergency release notification SARA 311/312 Hazard Categories

Immediate Hazard - Yes Delayed Hazard – No Fire Hazard – No Pressure Hazard – No Reactivity Hazard – No SARA 313 (TRI reporting) 2-butoxyethanol (Glycol Ether Category)

**California Proposition 65** 

WARNING: This product can expose you to Methanol which is known to the State of California to cause reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### 16. Other information, including date of preparation or last revision

Issue date	4/20/2022
Revision date	
Version #	1
HMIS <sup>®</sup> ratings	Health: 2
	Flammability: 0
	Physical hazard: 1



**NFPA** ratings

Health: 2 Flammability: 0 Instability: 0



#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information

First issue.